
EMS Newborn Resuscitation Reference Card





EMS Newborn Resuscitation Reference Card

Corrective Steps for Inadequate Mask Ventilation

$\overline{}$	
M	Mask adjustment
R	Reposition airway
S	Suction mouth and nose
	Open mouth
Р	Pressure increase
	Alternative airway

Post-Delivery SpO₂ Target

1 min	60%-65%	
2 min	65%-70%	
3 min	70%-75%	
4 min	75%-80%	
5 min	80%-85%	
10 min	85%-95%	

Endotracheal Intubation (if in your scope of practice)

Gestational Age (weeks)	Weight (kg)	ET Tube Size (uncuffed, mm)	Depth of Insertion (cm from upper lip)
< 28	< 1.0	2.5	6-7
28-34	1.0-2.0	3.0	7-8
34-38	2.0-3.0	3.5	8-9
>38	>3.0	3.5-4.0	9-10

Resuscitation Medications

Medication	Dosage/Route	Concentration	Weight (kg)	Total IV Volume (mL)
Epinephrine	IV or IO: 0.01 – 0.03 mg/kg (per local protocols)	0.1 mg/mL	1 2 3 4	0.1 - 0.3 0.2 - 0.6 0.3 - 0.9 0.4 - 1.2
IV Fluid (Normal Saline)	IV: 10 mL/kg		1 2 3 4	10 20 30 40

